

Product Information Bulletin

Troika Pour-On

EPA Reg. No. 1021-2895

2(ee) Recommendation[†] Expires December 31, 2029

New World Screwworm (*Cochliomyia hominivorax*)

**FOR USE AND DISTRIBUTION IN THE STATES OF ARIZONA, ARKANSAS,
HAWAII, LOUISIANA, NEW MEXICO, NORTH CAROLINA, OKLAHOMA,
SOUTH CAROLINA, TENNESSEE, TEXAS**

ATTENTION

[†]This recommendation is permitted under FIFRA 2(ee) and has not been submitted to or approved by the EPA.

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- Read and follow all applicable directions for use, precautions and limitations on the product label attached to the container for **Troika Pour-On**.

Troika Pour-On may be used to aid in prevention of New World Screwworm (*Cochliomyia hominivorax*) on cattle and sheep. For cattle: Apply 6ml (0.2 fl oz) per 100 lbs. body weight of animal up to a maximum of 60 ml (2 fl. oz) for any one animal. Treatment may be applied daily. For sheep: Apply 3 ml (0.1 fl oz) per 50 lbs. body weight of animal up to a maximum of 30 ml (1 fl. oz) for any one animal. Treatment may be applied daily. **Do not apply more than once per day.**

Follow applicable use directions, precautions, and limitations on the EPA-registered label for **Troika Pour-On**.